

DumpsActual

Input your exam code ...

Our exam study dumps are compiled through several times of checking and verification, which are with the high pass rate up to 98%. All the actual questions & answers are selected and confirmed according to strict standards with assurance for 100% pass.

All Products | Contact now

QUALITY AND VALUE

DumpsActual Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



TESTED AND APPROVED

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.


EASY TO PASS

If you prepare for the exams using our DumpsActual testing engine. It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



TRY BEFORE BUY

DumpsActual offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.



Try Before You Buy

Download a free sample of any of our exam questions and answers

- ✓ 24/7 customer support, Secure shopping site
- ✓ Free One year updates to match real exam scenarios
- ✓ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor...

Select an exam...

Your email address

Free Download

<http://www.dumpsactual.com>

Achieve 100% pass with the valid & actual exam practice dumps

Exam : **C_FIORDEV_22**

Title : SAP Certified Development
Associate - SAP Fiori
Application Developer

Vendor : SAP

Version : DEMO

QUESTION NO: 1

In the source code below, which of the following locations must reference the extension point?

```

1- <core:view xmlns:core="sap.ui.core" xmlns:form="sap.ui.core.mvc" xmlns="sap.m"
2-   controllerName="appextension.EmployeeData" xmlns:html="http://www.w3.org/1999/xhtml">
3-   <page title="Title">
4-       <content>
5-           <label text="First name:">
6-               <input>
7-                   <core:extensionpoint name="forMiddleName">
8-                       <label text="Last name:">
9-                           <input>
10-                               <button text="Get Info" press="doGetInfo"></button>
11-                           </label>
12-                       </core:extensionpoint>
13-                   </label>
14-               </content>
15-           </page>
16- </core:view>

```

- A. EmployeeData.controller.js
- B. Neo-app.json
- C. Componente.js
- D. EmployeeData.view.xml

Answer: C

QUESTION NO: 2

What are Technical Catalogs used for?

Note: There are 2 correct answers to this question.

- A. As a reference for Business Groups
- B. To store tiles and target mappings by technology per solution area
- C. To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- D. As a reference for Business Catalogs

Answer: B,D

QUESTION NO: 3

Which of the following sequences is the correct sequence for the Problem Space phase in a Design Thinking workshop?

- A. Scoping, 360° Research, Ideation
- B. Scoping, Synthesis, Ideation
- C. Scoping, 360° Research, Synthesis
- D. 360° Research, Scoping, Synthesis

Answer: C

QUESTION NO: 4

Which file can you use to configure internal navigation for List Report and Object Page templates?

- A. manifest.json file

- B. OData annotation file
- C. vocabulary.xml file
- D. index.html file

Answer: B

QUESTION NO: 5

SAP Fiori Elements utilizes a metadata-driven approach for SAP Fiori app development. What are the implications of this?

- A. App developers must use JavaScript to allow their applications to read OData annotations and metadata
- B. SAPUI5 Smart Controls must be created by developers to utilize the OData annotations and metadata of SAP Fiori Elements templates.
- C. Smart Templates must be used by the developer to consume OData annotations and metadata so the SAPUI5 runtime can use the corresponding view.
- D. The SAPUI5 runtime interprets metadata and annotations of the OData service and uses the corresponding views for the Fiori app at startup.

Answer: D

QUESTION NO: 6

In a SAP Fiori hub deployment, where is the SAPUI5 application code stored for a transactional app?

- A. SAP Front-End Server (FES)
- B. SAP Back-End Server (BES)
- C. SAP HANA XS Engine
- D. SAP Web Dispatcher

Answer: B

QUESTION NO: 7

What result do you expect from the de-composition and re-composition phases? Note: There are 3 correct answers to this question.

- A. A purpose-built app to support personas
- B. A responsive de-composed design
- C. The prevention of irrelevant data being shown to the user
- D. The break-down of a large transaction
- E. An adaptive and coherent app

Answer: A,C,D

QUESTION NO: 8

Which of the following are features of the SAPUI5 SDK? Note: There are 2 correct answers to this question.

- A. Allows the usage of the jQuery library
- B. Keyboard interaction support and accessibility features
- C. Provides an interface to Web Dynpro
- D. Is a subset of OpenUI5

Answer: C,D